



AVIKO B.V.  
Dr. A. Ariënsstraat 28  
7221 CD Steenderen-Nederland  
+31 (0)575-458 200  
  
Postbus 8  
7220 AA Steenderen-Nederland

## General Information

SAP Code	809566
Product Description	Aviko H WavyBlends Paprika 4x2500g
Brand	Aviko
Custom Tariff Code	2004109900
GTIN Consumer Unit 1	8710449958511
GTIN Carton	8710449958528
UPC 12 Carton	
Shell life in days after production	730
Remaining Shell Life in days at time of loading	182
Coding	Lotcode, expiry date, packaging content/weight, product description

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard: 2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

1 / 18

## Semi Finished

837143



### Potato Comment

The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard: 2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

2 /18

Process description	This product is made of potatoes which are washed, sorted, peeled, cut, blanched, dried, coated, prefried in vegetable oil, quick frozen and packed.
Product description	Seasoned potato fries, wavy cut, pre-fried and quick-frozen.
Size	Thickness: 9.5 mm

## Ingredient Declaration

Ingredients: potatoes, sunflower oil, modified starch, rice flour, spices, salt, dextrin, maltodextrin, yeast extract, flavouring, raising agent (E500, E450), thickener (E415).

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard: 2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

3 /18

## Allergens in accordance with regulation (EU) 1169/2011

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Allergens	
Cereals containing gluten	none
Crustaceans and products thereof	none
Eggs and products thereof	none
Fish and products thereof	none
Peanuts and products thereof	none
Soybeans and products thereof	none
Milk and products thereof	none
Nuts and products thereof	none
Celery and products thereof	none

Allergens in accordance with regulation (EU) 1169/2011	Food Claim
Mustard and products thereof	none
Sesame seeds and products thereof	none
Sulphur dioxide and sulphites >10 ppm	none
Lupine and products thereof	none
Molluscs and products thereof	none

Nutritional data			
Food Nutrient	UOM	Per 100g	%RI
Nutritional Energy			
Energy	kJ	667	
Energy	kcal	159	8%

Food Nutrient	UOM	Per 100g	%RI
Nutritional data			
Fat total	g	5.3	8%
- Fat of which saturated	g	0.7	3%
Carbohydrates available	g	25	10%
- Carbohydrates of which sugars	g	0.6	0%
Protein total	g	1.9	4%
Dietary fibre	g	1.8	
Salt	g	0.65	11%

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard:2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

6 /18

## Food Claim

Food Claim	This product is Halal certified by	Image	Comment
Claims			
Vegan			
Ovo-lacto vegetarian			
Certification			
Halal	Halal Correct		

## Quality Parameters Physical

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Physical properties					
Length <25mm weight	% w/w			2.5	

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard:2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

7 /18

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Breakage	% w/w		0	10	
Length >50mm weight	% w/w	70			
Form and/or cutsize deviations	% w/w		0	5	
Defect units Standard	du/kg	0	19	28	

## Chemical properties

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Chemical properties					
Fat content Soxtherm	%	3.5	5	6.5	
Moisture content Halogen dryer	%	62	65	68	

## Microbiological Properties

Spec Item	UOM	LCL(MIN)	Target	UCL(MAX)	Comment
Microbiological properties					
Aerobic plate count end of shelflife	cfu/g			100,000	
Staphylococcus Coagulase Positive end of shelflife	cfu/g			500	
Enterobacteriaceae end of shelflife	cfu/g			1,000	
Salmonella end of shelflife	cfu/25g			0	Absent
Listeria monocytogenes end of shelflife	cfu/25g			0	Absent
Escherichia coli end of shelflife	cfu/g			100	

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard:2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

9 /18

## Sensorical Properties

Spec Section Item Description	UOM	Value	Comment
Odour			
A pleasant odour, characteristic for deep fried potatoes.			
Taste			
A pleasant taste, characteristic for deep fried potatoes.			
Texture			
Very crispy crust with a uniform smooth inside of cooked potatoes.			
USDA Colour			
USDA-colour card, Munsell Colour Company. (treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil)			
Colour unprepared	USDA	0-1	Golden yellow.

Spec Section Item Description	UOM	Value	Comment
Colour prepared	USDA	Max. 3	Golden brown.

## Storage and Transport Conditions

Spec Item	Value	UOM
Delivery temperature	Max. -18	°C
Storage temperature	Max. -18	°C

## Packaging Details

Level	Material Type	Material Type (Subtypes)	Packshot		Thickness (μ)	Composition	Tare weight (g)	Dimension (mm)
Primary	Artwork	artwork for foil					0	50x350x480
		pillow			45	LD-PE	15.312	
Secondary	Artwork	artwork for outer carton					0	396x261x240
		regular slotted box				cardboard	278	396x261x240

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard: 2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

12/18

Level	Material Type	Material Type (Subtypes)	Packshot	Thickness (μ)	Composition	Tare weight (g)	Dimension (mm)
Tertiary	Pallet/crate	pallet			wood	0	1200x800x144

## Palletization

Spec Item	Value	UOM
Palletization		
Units per layer	9	pcs

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard:2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

13/18

Spec Item	Value	UOM
Layers per pallet	7	pcs
Units per pallet	63	pcs
Calculated pallet height	1.83	m
Pallet type	Euro Chep	
Pallet size	1.2 x 0.8	m

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard:2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

14/18

## Consumer Information

Combisteamer: Convection 200°C, 12-15 min.

Belt Oven: 250°C, 4½ min.

High speed oven: Portion approx. 200g, 250°C. Stage 1: 80% microwave, 10% fan, 00:15. Stage 2: 0% microwave, 100% fan, 03:00. (Based on use of a Merry Chef Eikon e2S).

Fryer: Max. 175°C, portion approx. 500g, 3-3½ min.

## Legal & other Requirements

Definition of defect units	Defect-units: sum of points for all pieces with minor, major and gross defects for a sample of 1000g. Minor defect (light 6-12mm, dark 3-6mm): 1 point Major defect (light 12-18mm, dark 6-12mm): 2 points Gross defect (light >18mm, dark >12mm): 3 points
Statement of contaminants	

	Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 2023/915, setting maximum levels for certain unwanted components.
Disclaimer fries	
	Aviko has the right, when delivery from a new crop starts, to adjust the specification with regard to the length within the valid contract to the on that moment available range of raw material. This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.
Weight registration e-symbol	
	Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.
GMO Statement	
	Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.
Sampling	

	In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of 1 kg is taken to judge the quality.
Quality Management Systems	
	The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.
Heavy metals statement	
	Aviko declares that all supplied products are conform to the EU-legislation and that they do not exceed the heavy metal tolerances defined by the EU.
Pesticides statement	
	Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.

## Signature

General Quality Manager Aviko Group



L.C. (Linda) Jespers

REC: 1 / FLDS: 2 / PAC: 2

Date Of Standard: 2025-12-12 01:16:20.6

2025-12-12

© AVIKO - Productspecification  
Issued By Corporate Quality Department Aviko

18/18