

AVIKO B.V.

Burg. Smitstraat 2 7221 BJ Steenderen - Nederland Tel. 31 (0)575 458200

Postbus 8 7220 AA Steenderen - Nederland

# Productspecification Aviko H Pom' Rissolees 4x2500g

# **General Information**

#### **General Information**

Product description	Diced potatoes, pre-fried and quick-frozen.
Size	12 × 12 × 12 mm
Process description	This product is made of potatoes which are washed, sorted, peeled, cut, blanched, dried, prefried in vegetable oil, quick frozen and packed.
Potatoes - comment	The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.
Brand	Aviko
Article number	700503
SF-number	830116
Intra stat number	2004101000
Halal certified	This product is Halal certified by Halal Correct.



# **Ingredient declaration**

#### **Ingredient declaration**

Ingredients: potatoes, sunflower oil.

# **Quality Parameters**

### **Physical**

			Min.	Target	Max.	Comment
Defect units	Standard	du/kg	0	22	40	

Defect-units: sum of points for all pieces with minor, major and gross defects for a sample of 1000g.

Minor defect (light 6-12mm, dark 3-6mm): I point Major defect (light 12-18mm, dark 6-12mm): 2 points Gross defect (light >18mm, dark >12mm): 3 points

# **Chemical properties**

			Min.	Target	Max.	Comment
Moisture content	Halogen dryer	%	68	71	74	
Fat content	Soxtherm	%	2.5	4	5.5	

#### **Microbiological properties**

			Min.	Target	Max.	Comment
Aerobic plate count	end of shelflife	cfu/g			100,000	
Enterobacteriaceae	end of shelflife	cfu/g			1,000	
Staphylococcus Coagulase Positive	end of shelflife	cfu/g			500	
Salmonella	end of shelflife	cfu/25g			0	Absent
Listeria monocytogenes	end of shelflife	cfu/25g			0	Absent

# Sensorical properties

Min.	Target	Max.	Comment

**Sensorical properties - Colour USDA** 

Specification version: 16
Date of standard: 12/1

Issue date:

12/16/2022 9:10:15 AM 11/17/2023 1:59:28 PM © AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

	UOM	Value	Description
Colour unprepared	USDA	00-0	Light yellow
Colour prepared	USDA	max. 2	Golden yellow

#### **USDA-colour card**

USDA-colour card, Munsell Colour Company.

(treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil).

#### **Texture**

Slight crispy crust with a uniform smooth inside of cooked potatoes.

#### Odour

A pleasant odour, characteristic for deep fried potatoes.

#### Taste

A pleasant taste, characteristic for deep fried potatoes.

# **Nutrition**

#### **Nutritional data EU**

Nutrient	Attribute	UOM	per 100g as sold	%RI
Energy	kJ	kJ	575	
Energy	kCal	kcal	135	7
Fat		G	4	6
Fat of which	Saturated	G	0.5	3
Carbohydrates		G	21.5	8
Carbohydrates of which	Sugars	G	0.3	0.3
Dietary fibre	-	G	2.5	
Protein		G	2.5	5
Salt		G	0.1	2

# Allergens

### Allergens (annex II EU regulation 1169/2011)

To Declare	Not present	Present	May Contain Concentration in ppm	Remarks
	$\checkmark$			
	Z			
	Ø			
	V			
	V			
	V			
	V			
	Ø			
	V			
	Z			
	Z			
	Z			
	V			
	Z			
	To Declare			

# Storage/transport conditions

#### Storage conditions

Storage: -18 $^{\circ}$ C until end of shelf life. Do not refreeze after thawing.

	UOM	Value
Temperature product during storage	°C	max18
Delivery temperature	°C	max18

### **Shelf life**

Specification version: 16

Date of standard : 12/16/2022 9:10:15 AM Issue date : 11/17/2023 1:59:28 PM

	Code
Storage life in days	730
Min. rem. shelf life/day at time of loading	182

### Coding

Lotcode, expiry date, packaging content/weight, product description

# Packaging details



# Packaging details [Consumer unit]

#### **General information**

	Гуре	
EAN code		8710449456109
Material type Green point	Pillow	
Green point	Yes	
Composition	LD-PE	
Dimensions		

	Value	UOM	Length	Width	Height
Consumer unit		mm	480	300	30

# Packaging details [Box]

#### **General information**

	Туре
EAN code	8710449450305
	Regular slotted box
Material category	Corrugated cardboard
Green point	No

#### **Dimensions**

	UOM	Length	Width	Height
Box external practical	mm	393	261	195

Specification version :

Date of standard : 12/16/2022 9:10:15 AM 11/17/2023 1:59:28 PM Issue date :

© AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

# Packaging details [Pallet]

#### **General information**

	Туре
Material type	Pallet

#### **Dimensions**

	Value	UOM	Length	Width	Height
Dimensions material		mm	1,200	800	144

# Packaging details [Full pallet]

#### Pallet details

	UOM	Value	
# units per layer		9	
# layers per pallet		8	
# units per pallet		72	
Calculated pallet height	cm	171	

### **Consumer information**

#### Cooking instruction frying pan

10-15 min.

#### **Cooking instruction fryer**

Max. 175°C, portion approx. 500g, 3-31/2 min.

### **Claims**

#### Claims diet

Property	Suitable for	Comment	
Ovo-lacto vegetarian	abla		
Vegan	Z		
Low sodium diet	<b>V</b>		

# Legal Requirements

#### **GMO** statement

Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.

#### weight registration e-symbol

Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

#### Pesticides statement

Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.

#### **Statement on contaminants**

Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 1881/2006, setting maximum levels for certain unwanted components.

# Other requirements

#### **Sampling**

Specification version: 16

Date of standard : 12/16/2022 9:10:15 AM Issue date : 11/17/2023 1:59:28 PM

© AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of I kg is taken to judge the quality.

#### **Quality Management Systems**

The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.

#### Disclaimer

This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.

# **Signature**

#### Signature General Quality Manager Aviko-group

Ing. T.H.M.S. (Simone) Nelissen

Specification version: 16

Date of standard : 12/16/2022 9:10:15 AM Issue date : 11/17/2023 1:59:28 PM